

Product data sheet

Specifications



voltage release Compact MX - 525 V AC 50Hz

29389

⚠ Discontinued on: Oct 18, 2021

⚠ Discontinued

Main

Range	ComPact
Range of Product	NS100...250 NS400...630 DC NSF150...250 NS100...250 DC NS125E NSJ400...600 NB400...600 NS400...630
Device short name	MX
Product or Component Type	Voltage release
Device Application	Control
Voltage release type	Shunt trip release
[Uc] control circuit voltage	600 V AC 60 Hz 525 V AC 50 Hz
Range compatibility	ComPact ComPact NS ComPact Compact NSF ComPact Compact NSJ

Complementary

Operating threshold	0.7...1.1 x Un
Response time	50 ms
Control signal type	Maintained Impulse
Impulse duration	>= 20 ms
Auxiliary connection terminal	screw terminal 0...0.002 in ² (0...1.5 mm ²)

Ordering and shipping details

Category	01103-H,J,COMPACT NS UL/IEC CIRCUIT BREAKER ACCESSORIES
Discount Schedule	DE2
GTIN	3303430293897
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.6 in (4 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	2.5 in (6.3 cm)
Package 1 Length	3.2 in (8.2 cm)
Package weight(Lbs)	4.09 oz (116 g)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.