

# Product datasheet

Specifications



## Acti9 - IHP+ - 2C digital time switch - 24 hours + 7 days

CCT15723

⚠ Discontinued on: 31 May 2019

⚠ End-of-service on: 2 Oct 2020

⚠ Discontinued

EAN Code: 3303431063062

### Main

range of product	Acti9
Product name	Acti9 IHP
Device short name	IHP
Product or component type	Programmable digital time switch
Device application	Building
Battery type	Lithium
Number of channels	2
Available equipment	Memory key
User language	German Italian Portuguese Spanish French English
Colour tint	White (RAL 9003)

### Complementary

Product compatibility	Mechanical compatibility with electrical distribution comb busbars
Power consumption in VA	7 VA
Maximum switching current	10 A - 250 V AC pf = 0.6 16 A - 250 V AC pf = 1
[Ue] rated operational voltage	230 V AC +/- 10 % at 50/60 Hz
Number of inputs	2 input(s) impulse and maintained
Accuracy	+/- 1 s/day 20 °C
Cycle duration	24 hours + 7 days
Maximum number of switchings	84
Minimum interval duration	1 s
Function available	Automatic winter/summer time changeover Pulse programming
Display type	Backlit LCD
Battery life	6 year(s)
Backup time	6 years time and program saving
Type of setting	Random function Absence for holidays function

<b>Connections - terminals</b>	screwless terminals
<b>Mounting support</b>	DIN rail
<b>9 mm pitches</b>	5
<b>Width</b>	45 mm
<b>Height</b>	85 mm
<b>Depth</b>	66 mm
<b>Function</b>	Pulse programming and random function
<b>Absence for holidays</b>	Yes
<b>Time changeover</b>	Automatic
<b>Updated by</b>	None
<b>Compatibility code</b>	IHP
<b>Market segment</b>	Small commercial

## Environment

<b>Ambient air temperature for operation</b>	-10...50 °C
<b>IP degree of protection</b>	IP20 B

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	7 cm
<b>Package 1 Width</b>	8 cm
<b>Package 1 Length</b>	10.5 cm
<b>Package 1 Weight</b>	0.224 kg

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins