

# Product datasheet

Specifications



Operator control unit, TeSys Tera,  
140 mA, RJ45 connection, flush-  
mounted, backlit LCD

LTMTCUF

## Main

Range	TeSys
Product or component type	Operator control unit
Display type	Backlit LCD
Local signalling	4 LEDs

## Complementary

Supply	Via the controller
Maximum supply current	140 mA
Standards	CUL EN/IEC 61131-2 UL
Mounting mode	Flush-mounted
Width	117 mm
Height	70 mm
Depth	50 mm
Net weight	0.4 kg

## Environment

Ambient air temperature for storage	-40...80 °C
Relative humidity	15...95 %

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.000 cm
Package 1 Width	7.500 cm
Package 1 Length	13.500 cm
Package 1 Weight	263.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	32
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

Excluding VAT, FCA Jabal Ali & amp; are subject to change – check with your local distributor.

---

Package 2 Weight	8.981 kg
------------------	----------

## Contractual warranty

---

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	12 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	6 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.6 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	28ba494f-ac12-4551-b293-af7901bf5377
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

## Use Longer




### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture


Recyclability potential, in %	18
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	Nej
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins



Technical Illustration

Wiring diagram



---



Technical Illustration

User interface / product ON

---



Technical Illustration

Assembly's dimensions

---

