

circular conduc. terminal TA1.5 50...300 mm² with auxiliary conductor voltage tap 4 units accessory for: 3VM13/14





Model	
product brand name	SETRON
product designation	accessories
design of the product	circular conductor terminal voltage tap 4 units
accessories	Wire connector
General technical data	
designation / of the terminal	TA1.5
type of electrical connection / with control wire tap	Yes
Mechanical Design	
Net Weight	516 g
Connections according IEC	
connectable conductor cross-section	
• for copper cable / stranded / minimum	50 mm ²
• for copper cable / stranded / maximum	300 mm ²
• for aluminum cable / stranded / minimum	50 mm ²
• for aluminum cable / stranded / maximum	300 mm ²
stripped length	28 mm
tightening torque / when using copper cables	
• stranded	50 - 300 mm ² : 42.4 Nm
• finely stranded	50 - 240 mm ² : 42.4 Nm
• finely stranded / with core end processing	50 - 185 mm ² : 42.4 Nm
Connections according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
stripped length	1.1 in
connectable conductor cross-section	
• for copper cable / stranded / minimum	1 AWG
• for copper cable / stranded / maximum	600 kcmil
• for aluminum cable / stranded / minimum	1 AWG
• for aluminum cable / stranded / maximum	600 kcmil
tightening torque / when using copper cables	
• stranded	1 AWG - 600 kcmil: 375 lb-in
Certificates	
General Product Approval	Maritime application

[Miscellaneous](#)



[Confirmation](#)



[Confirmation](#)[Environmental Confirmations](#)[Environmental Confirmations](#)**Further information****Information on the packaging**<https://support.industry.siemens.com/cs/ww/en/view/109813875>**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VM9384-0JG13>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/3VM9384-0JG13>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VM9384-0JG13**CAX-Online-Generator**<https://www.siemens.com/cax>**Tender specifications**<https://www.siemens.com/specifications>

last modified:

8/8/2025

