

Product data sheet

Specifications

SQUARE D



Lighting contactors, TeSys D, max 60A rated, 277VAC control, Type S, multipole [TAA]

LC1D40AMEQ4096W7

! Discontinued on: Aug 9, 2024

! Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	TeSys
Product name	TeSys D
Product or Component Type	Contactors
Device short name	LC1D
Contactors application	Lighting
Poles description	3P
power pole contact composition	3 NO
[Ue] rated operational voltage	600 V AC 50/60 Hz
[Ie] rated operational current	Ballast: 60 A at 600 V AC Tungsten: 60 A at 600 V AC
[Uc] control circuit voltage	277 V AC 50/60 Hz
Mounting Support	Rail Plate
Standards	NEMA UL

Environment

Height	4.8 in (122 mm)
Width	2.2 in (55 mm)
Depth	4.7 in (120 mm)

Ordering and shipping details

Category	US10I1222357
Discount Schedule	0I12
GTIN	785901003489
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.8 in (12.2 cm)
Package 1 Width	2.2 in (5.5 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	4.7 in (12.0 cm)
------------------	------------------

Package weight(Lbs)	29.920 oz (848.218 g)
---------------------	-----------------------

Compliance

Compliance	TAA
------------	-----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Under investigation

Use Longer



Lifetime extension

Repair	No
--------	----