

Product datasheet

Specifications



current loop Inputs/Outputs module,
PowerLogic protection relays, 4
analogue inputs + 4 analogue
outputs

REL70071

Main

Range of product	PowerLogic P7
Product or component type	Analog IO module
Mounting support	Backplate

Complementary

Analogue input number	4
Analogue output number	4

Environment

Ambient air temperature for operation	-40...70 °C
Height	258 mm
Width	183 mm
Depth	115 mm
Product weight	0.9 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.700 cm
Package 1 Width	26.200 cm
Package 1 Length	18.900 cm
Package 1 Weight	842.000 g

Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	7185a990-e1e7-4906-8102-573086cf8d7d
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

