

Product data sheet

Specifications



auxiliary contact block - 1 NC - gold plated - for TeSys B

ZC4GM9

 **Discontinued on:** May 19, 2023

 **Discontinued**

Important message: This product is no longer commercialized by Schneider Electric. As per 14 January 2022, the commercialization is managed by Lenoir Elec. Please follow the link <https://www.lenoir-elec.com/> for more details.

Main

Range of Product	TeSys B
Range	TeSys
Product or Component Type	Auxiliary contact block
Product Compatibility	CR1B LC1B
Pole contact composition	1 NC

Complementary

Mounting Location	Front
Contacts material	Gold flashed contacts
[Ith] conventional free air thermal current	20 A
Mechanical durability	1000000 cycles
Connections - terminals	Control circuit screw clamp terminals 1 0.006 in ² (4 mm ²) with cable end Control circuit screw clamp terminals 1 0.009 in ² (6 mm ²) without cable end Control circuit screw clamp terminals 2 0.006 in ² (4 mm ²) with cable end Control circuit screw clamp terminals 2 0.009 in ² (6 mm ²) without cable end

Ordering and shipping details

Category	18402-WORLD SERVICE PARTS(CONTROL ACCESS)
Discount Schedule	CP10
GTIN	3389110365689
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.8 in (2 cm)
Package 1 Width	3.3 in (8.5 cm)
Package 1 Length	2.2 in (5.5 cm)
Package weight(Lbs)	0.077 lb(US) (0.035 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.