

Product data sheet

Specifications



Coil WB1-E 200V AC for CV1B, CV3B Contactor

WB1EA200

⚠ Discontinued on: Jul 12, 2021

⚠ Discontinued

Important message: This product is no longer commercialized by Schneider Electric. As per 14 January 2022, the commercialization is managed by Lenoir Elec. Please follow the link <https://www.lenoir-elec.com/> for more details.

Main

| | |
|------------------------------|--|
| Range | TeSys |
| Product or Component Type | Contactor coil |
| Range compatibility | TeSys TeSys B CV1BF contactor TeSys TeSys B CV3BF contactor |
| Control circuit type | AC |
| Coil type | Low consumption |
| [Uc] control circuit voltage | 200 V AC 60 Hz |

Complementary

| | |
|---------------------------------|--|
| Control circuit voltage limits | Operational: 0.85...1.1 Uc at 60 Hz (at <131 °F (55 °C)) |
| Average resistance | 41.5 Ohm 68 °F (20 °C) |
| Inductance of closed circuit | 2.6 H |
| Inrush power in VA | 225...275 VA 60 Hz 0.34 68 °F (20 °C)) |
| Inrush power in W | 75...95 W 68 °F (20 °C) |
| Hold-in power consumption in VA | 35...55 VA 60 Hz 0.37 68 °F (20 °C)) |
| Hold-in power consumption in W | 10...13 W 68 °F (20 °C) |
| Product Weight | 0.40 lb(US) (0.18 kg) |

Ordering and shipping details

| | |
|-------------------|---|
| Category | 18402-WORLD SERVICE PARTS(CONTROL ACCESS) |
| Discount Schedule | CP10 |
| GTIN | 3389110454741 |
| Returnability | No |
| Country of origin | FR |

Packing Units

| | |
|------------------------|-----------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.5 in (3.8 cm) |
| Package 1 Width | 1.8 in (4.5 cm) |
| Package 1 Length | 2.7 in (6.9 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs) 5.5 oz (155 g)

Contractual warranty

Warranty (in months) 18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.