

Product datasheet

Specifications



reversing contactor TeSys LC2-D - 4 poles - AC-1 440V 200 A - coil 240 V AC

LC2D1150046U5

EAN Code: 3389110058581

! Discontinued

Main

Range of product	TeSys D
Product or component type	Reversing contactor
Device short name	LC2D
Contactor application	Resistive load
Utilisation category	AC-1 AC-3 AC-3e AC-4
Control circuit type	AC
Coil type	Standard
Poles description	4P
Pole contact composition	4 NO

Complementary

Assembly style	Ready assembled
Coil technology	Without built-in bidirectional peak limiting diode suppressor
Protective cover	With
Interlocking type	Mechanical
Overvoltage category	III
Mounting support	Rail Plate
Mechanical durability	8000000 cycles
Height	158 mm
Width	334 mm
Depth	148 mm
Net weight	7.4 kg

Environment

Standards	IEC 60947-4-1 IEC 60947-5-1 EN 60947-4-1 CSA C22.2 No 14 EN 60947-5-1 UL 508
-----------	---

Product certifications	BV UL CSA CCC RINA LROS (Lloyds register of shipping) DNV GOST GL
-------------------------------	---

Ambient air temperature for operation	-5...60 °C
--	------------

Ambient air temperature for storage	-60...80 °C
--	-------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No