


Product datasheet

Specifications



Chassis for Masterpact MTZ2 25 H1/H2/H3/HA/HF - 2500 A - 3P

LV848394

Main

Range	MasterPacT
Product or component type	Chassis
type of accessory	Mounting accessory
Product compatibility	MasterPact MTZ2 25 N1 MasterPact MTZ2 25 H1 MasterPact MTZ2 25 H2 MasterPact MTZ2 25 H2V MasterPact MTZ2 20-25 H3 MasterPact MTZ2 25 H10 MasterPact MTZ2 25 HA MasterPact MTZ2 25 HF MasterPact MTZ2 25 HH MasterPact MTZ2 25 HA10
Poles description	3P
performance level	N1 H1 H2 H3 H2V H10 HA HF HH HA10

Complementary

Mounting mode	Drawout
[In] rated current	2500 A at 40 °C
Height	439 mm
Width	441 mm
Depth	403 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	68.0 cm
Package 1 Width	77.0 cm
Package 1 Length	60.0 cm
Package 1 Weight	41.032 kg

Contractual warranty

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	2 153 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	220 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	6 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 851 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	72 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
SCIP Number	Eac740ab-5415-44a7-977a-c0be1a462ee1
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	71
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins