



undervoltage release 24 V AC 50/60 Hz accessory for: 3VM10-3VM14

| Model  |                   |
|--|-------------------|
| product brand name   | SENTRON           |
| product designation  | Accessories       |
| design of the product  | auxiliary release |
| accessories  | Auxiliary release |
| General technical data   |                   |
| degree of pollution  | 3                 |
| overvoltage category   | III               |
| apparent power consumption / maximum   | 2 VA              |
| Voltage  |                   |
| surge voltage resistance   | 4 kV              |
| Mechanical Design  |                   |
| height   | 65 mm             |
| width  | 25.7 mm           |
| number of slots  | 3                 |
| depth  | 28.8 mm           |
| net weight   | 91 g              |
| Net Weight   | 80 g              |
| tightening torque / with screw-type terminals / minimum                            | 0.4 N·m           |
| tightening torque / with screw-type terminals / maximum                            | 0.5 N·m           |
| Connections according IEC  |                   |
| stripped length  | 10 mm             |
| connectable conductor cross-section  | 0.5 ... 1.5       |
| <ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>     |                   |
| AWG number / as coded connectable conductor cross section / for auxiliary contacts |                   |
| <ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>     | 20<br>16          |
| Connections according UL   |                   |
| stripped length [in]   | 0.4 in            |
| tightening torque [lbf-in] / with screw-type terminals / minimum                   | 3.5 lbf-in        |
| tightening torque [lbf-in] / with screw-type terminals / maximum                   | 4.4 lbf-in        |
| Certificates   |                   |
| General Product Approval   | Test Certificates |

[Miscellaneous](#)



[Confirmation](#)



[Type Test Certificates/Test Report](#)

|                   |                      |       |             |
|-------------------|----------------------|-------|-------------|
| Test Certificates | Maritime application | other | Environment |
|-------------------|----------------------|-------|-------------|

[Miscellaneous](#)



[Confirmation](#)



[Environmental Confirmations](#)

[Environmental Confirmations](#)

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VM9908-0BB20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VM9908-0BB20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VM9908-0BB20](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VM9908-0BB20)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

5/30/2026

