

# Product data sheet

Specifications

SQUARE D



Manual starter, Type M Integral Horsepower Starters, Type 1, 10hp at 380V to 575VAC, 3 phases, 3 pole, 2 speed

2512MCG1

! Discontinued

! Discontinued on: Aug 22, 2023

! End-of-service on: Sep 15, 2023

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

Product	Manual Starter
Type	M
NEMA Size	M-1

## Complementary

Control Unit	Push-button
Pilot Light	No indicator
Horsepower Rating	7.5 hp 200...230 V AC, 3 phase 10 hp 380...575 V AC, 3 phase
Voltage Rating	600 V AC
Number of Poles	3P
Starter Type	2 speed
Electrical Connection	Screw clamp terminals
Overload Relay Type	Melting alloy
Number of Thermal Units Required	3
Wire Gauge	AWG 14...AWG 8 copper
Auxiliary Contacts	Without
Height	8.63 in (219.20 mm)
Width	5 in (127 mm)
Depth	4.13 in (104.90 mm)

## Environment

Certifications	UL listed file E42243 CCN NLRV CSA LR60905 class 3211 05
NEMA Enclosure Rating	NEMA 1 painted sheet steel

## Ordering and shipping details

Category	US10CP121103
Discount Schedule	0CP1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>GTIN</b>	785901332695
-------------	--------------

---

<b>Returnability</b>	No
----------------------	----

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

---

<b>Nbr. of units in pkg.</b>	1
------------------------------	---

---

<b>Package 1 Height</b>	6.50 in (16.51 cm)
-------------------------	--------------------

---

<b>Package 1 Width</b>	9.50 in (24.13 cm)
------------------------	--------------------

---

<b>Package 1 Length</b>	10.50 in (26.67 cm)
-------------------------	---------------------

---

<b>Package weight(Lbs)</b>	12.780 lb(US) (5.797 kg)
----------------------------	--------------------------

---

## Contractual warranty

---

<b>Warranty (in months)</b>	18
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

EU RoHS Directive

[Compliant By Exemption](#)

California proposition 65

**WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

PVC free

Yes

### Use Longer



#### Lifetime extension

Repair

No