

# Product data sheet

Specifications



## 22MM ILL EXTENDED PB 24V WHITE 1 NO 1 NC

XB4BW11B5

⚠ Discontinued on: Oct 11, 2019

⚠ Discontinued

### Main

Bezel material	Chromium plated metal
Device short name	XB4
Enclosure type	Corrosion resistance enclosure indoor/outdoor
Light source	White LED
Mounting diameter	0.9 in (22 mm)
Operator additional information	Extended metallic guard

### Complementary

Line Rated Current	10 A
Cap/operator or lens colour	white
Contacts type and composition	1 NO + 1 NC
Control type	illuminated push-button
Electrical connection	Screw clamp terminal
Light block supply	Direct 24 V
Marking	unmarked
Mounting support	panel
Permissible voltage	600 V
Shape	Round head
Type of operator	Momentary
Utilisation category	AC-15 DC-13

### Environment

NEMA Degree of Protection	NEMA 4X/13
Product Certifications	CSA LR44087 class 3211 03 CE UL listed file E164353 CCN NKCR

### Ordering and shipping details

Category	22468-PUSHBUTTONS,22MM(METAL) NEW
Discount Schedule	CS2
GTIN	00785901048657
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Country of origin                      MX

## **Contractual warranty**

---

Warranty (in months)                      18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Longer



#### Lifetime extension

Repair

No