

Product data sheet

Specifications



NEMA Contactor, TeSys N,
reversing, Size 1, 27A, 10HP at
460VAC, 3 pole, 3 phase, 208VAC
50/60Hz coil, open

T02CN23LE7

⚠ To be discontinued

⚠ To be discontinued on: Aug 15, 2026

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product Type	Contactors
Range	TeSys N
Contactors Type	Reversing
NEMA Size	1
Motor Horsepower Rating HP	7.5 hp 200 V AC 7.5 hp 230 V AC 10 hp 460 V AC 10 hp 575 V AC

Complementary

Rated Current	27 A
[Ue] Rated Operational Voltage	600 V AC
Control Circuit	Common control circuit
Coil Voltage	208 V AC
Number of Poles	3P
Network Phases	3 phase
Auxiliary Contact Composition	1 NO + 1 NC
Electrical Connection	Screw clamp terminals

Environmental

Product Certifications	UL Listed CSA
NEMA Degree of Protection	Not rated (open device)

Ordering and shipping details

Category	US10CP121196
Discount Schedule	0CP1
GTIN	3606480573316
Returnability	No
Country of origin	FR

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.5 in (11.5 cm)
Package 1 Width	4.5 in (11.5 cm)
Package 1 Length	5.7 in (14.5 cm)
Package weight(Lbs)	2.092 lb(US) (0.949 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No