

Product datasheet

Specifications



PratiKa multiple adapter - 2 industrial sockets - 16 A - 2P+E - 110V AC - IP44

PKZM401

⚠ Discontinued on: 1 Nov 2020

⚠ Discontinued

Main

Range	PratiKa
Product or component type	Multiple adapter
Accessory / separate part category	Adaptation accessory
Poles description	2P + E

Complementary

[In] rated current	16 A
[Ue] rated operational voltage	110 V
Socket number	2 (16 A)
Contacts material	Pins: nickel plated brass Sleeves: brass
Plug, socket material	Housing: self-extinguishing polymer
Height	160 mm
Width	230 mm
Colour	Grey (RAL 7035)
Voltage colour	Yellow

Environment

Standards	IEC 60309-2 IEC 60309-1
IP degree of protection	IP44 conforming to IEC 60529
IK degree of protection	IK08 conforming to EN 62262
Fire resistance	850 °C conforming to IEC 60695-2-11
Ambient air temperature for operation	-25...40 °C 35 °C (86400 s)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	16 cm
Package 1 Length	23 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	0.35 kg
------------------	---------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins