

# Product datasheet

Specifications



## earth-leakage module Compact Vigi MH- 0.03..10A- 220..440V- 4 poles 4d- class A

28313

⚠ Discontinued on: 15 Oct 2021

⚠ Discontinued

### Main

Range of product	NG160 NG160NA
Range	ComPact
Device short name	Vigi NG160
Product or component type	Earth leakage add-on block
Device application	Wiring
Range compatibility	ComPact Compact NG circuit breaker
Poles description	4P
Protected poles description	4t
[In] rated current	160 A
Earth-leakage add-on module name	MH
Earth-leakage protection class	Class A
Residual earth-leakage sensitivity adjustment type	Adjustable
[I $\Delta$ n] residual earth-leakage sensitive adjustment	0.03...3 A
Residual earth-leakage time delay adjustment type	Adjustable
[ $\Delta$ t] residual earth-leakage time delay adjustment	0...150 ms

### Complementary

Network type	AC
Network frequency	50/60 Hz
Mounting support	DIN rail
Electrical connection to mcb	By screws
cable entry	Top
Connections - terminals	Tunnel type terminals
Device location in system	Group incomer Outgoer
[Ue] rated operational voltage	200...440 V AC 50/60 Hz conforming to IEC 60947-2
Earth-leakage protection	With
Maximum breaking time	150 ms
Overvoltage category	Class II
Height	240 mm

---

<b>Width</b>	120 mm
<b>Depth</b>	82.5 mm
<b>Product weight</b>	2.9 kg
<b>Product compatibility</b>	Single terminal

---

## Environment

---

<b>Electrical shock protection class</b>	Class II
<b>Standards</b>	IEC 60947-2
<b>Product certifications</b>	ASTA LCIE KEMA ASEFA

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	19 cm
<b>Package 1 Width</b>	23 cm
<b>Package 1 Length</b>	33 cm
<b>Package 1 Weight</b>	1.959 kg

---

## Contractual warranty

---

<b>Warranty (in months)</b>	18
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

EU RoHS Directive

[Compliant](#)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins