

# Product datasheet

Specifications



reversing contactor TeSys LC2-D - 3 poles - AC-3 440V 115 A - coil 110 V DC

LC2D115FD

EAN Code: 3389110737899

! Discontinued

## Main

Range of product	TeSys D
Product or component type	Reversing contactor
Device short name	LC2D
Contactor application	Motor control
Utilisation category	AC-4 AC-3 AC-2
Control circuit type	DC
Coil type	Standard
Poles description	3P
Pole contact composition	3 NO

## Complementary

Assembly style	Ready assembled
Coil technology	Built-in bidirectional peak limiting diode suppressor
Protective cover	With
Auxiliary contact composition	1 NO + 1 NC
Interlocking type	Mechanical
Time constant	25 ms
Mounting support	Rail Plate
Mechanical durability	8000000 cycles
Height	158 mm
Width	266 mm
Depth	148 mm
Net weight	6.35 kg

## Environment

Standards	IEC 60947-4-1 EN 60947-5-1 UL 508 EN 60947-4-1 IEC 60947-5-1 CSA C22.2 No 14
-----------	---

---

<b>Product certifications</b>	GL LROS (Lloyds register of shipping) DNV UL GOST CSA BV RINA CCC
-------------------------------	---

---

<b>Ambient air temperature for operation</b>	-5...60 °C
--	------------

---

<b>Ambient air temperature for storage</b>	-60...80 °C
--	-------------

---

## **Contractual warranty**

---

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Longer



#### Lifetime extension

Repair

No