


# Product datasheet

Specifications



## Bare cable connector, GoPact MCCB 200, 4 poles

G20SBC4P

### Main

Range of product	GoPact MCCB
Product or component type	Bare cable connector
Device application	Connection
Range compatibility	GoPact MCCB 200
Poles description	4P
Quantity	8

### Complementary

Localisation on device	Upstream Downstream
[In] rated current	160 A
Conductor material	Steel
Connections - terminals	Clamp cage (cable) 2.5...70 mm <sup>2</sup> flexible Clamp cage (cable) 2.5...95 mm <sup>2</sup> rigid

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	8.5 cm
Package 1 Length	4.8 cm
Package 1 Weight	189 g
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.205 kg
Unit Type of Package 3	P06
Number of Units in Package 3	160
Package 3 Height	60 cm
Package 3 Width	60 cm
Package 3 Length	80 cm

---

Package 3 Weight 43.78 kg

## Contractual warranty

---

Warranty (in months) 18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	No
-----------	----

Technical Illustration

Dimensions

---

