


# Product datasheet

Specifications



## Terminal extensions, EasyPact Solar MCCB 400, 3 poles, 320-400A, 66mm pitch spreaders

SOL40SPDR3P12

### Main

Range of product	EasyPact Solar MCCB
Product or component type	Terminal extension
Device application	Connection
Range compatibility	EasyPact Solar MCCB 400
Poles description	3P
Quantity	6
Mounting position	Straight

### Complementary

Localisation on device	Upstream Downstream
[In] rated current	320...400 A
Connection pitch	66 mm
Conductor material	Copper

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.500 cm
Package 1 Width	13.000 cm
Package 1 Length	17.500 cm
Package 1 Weight	2.726 kg
Unit Type of Package 2	S02
Number of Units in Package 2	4
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	11.412 kg

### Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	No

### Use Longer




#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

---

mm  
in.

