

# Product datasheet

Specifications



## Rear connection, EasyPact NW, 3 poles, drawout, bottom mounting

ENW33106

### Main

Range of product	EasyPact NW
Product or component type	Rear connection
Accessory / separate part category	Connection accessory
Range compatibility	EasyPact NW EasyPact NW
Poles description	3P
Mounting mode	Drawout
[In] rated current	630...1600 A

### Complementary

Location of connection	Rear
Localisation on device	Bottom
Connection position	Horizontal
Connection pitch	70 mm

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	4.5 cm
Package 1 Length	6 cm
Package 1 Weight	2.04 kg

### Contractual warranty

Warranty (in months)	18
----------------------	----

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	21 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	13 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	5 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
SCIP Number	3f2d539a-6ab5-46aa-8603-9354f4ae3294
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	68
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No

Offer Marketing Illustration

Product benefits / Features

---

EasyPact NW



The central image shows a Schneider EasyPact NW circuit breaker unit, a compact, black metal enclosure with a green status bar on top. It is surrounded by six feature callouts:

- NFC connectivity**: Represented by a smartphone icon with a signal wave.
- Colour-coded health status bar**: Represented by a hand icon pointing to a bar.
- Simpler commissioning**: Represented by a checkmark icon.
- Innovative front-end retrofit capability**: Represented by an eye icon.
- Detailed event logs**: Represented by a calendar icon.
- Compact frame**: Represented by a four-pointed star icon.

NFC connectivity



Colour-coded health status bar



Offers easy monitoring and allows for proactive actions.

Simpler commissioning



Achieve quick and simple commissioning through EPC and mobile EPD.

Innovative front-end retrofit capability



Enables upgrades in just 5 minutes, eliminating the need for shutdown.

Detailed event logs



Facilitates rapid fault diagnosis with easy access to detailed trip event records.

Compact frame



Optimizes switchboard footprints with a compact frame size, offering a higher breaking capacity of up to 66 kA.