

Product datasheet

Specifications

Operating handle, GoPact MTS 200, front rotary handle, IP2x



GMSOTH0HK02

Main

Range of product	GoPact MTS
Product or component type	Operating handle
Device application	Control switch
Range compatibility	GoPact MTS 200
Product compatibility	switch disconnecter 125...200 A
Frame size	2
Accessory / separate part type	Rotary handle
Rotary handle mounting location	Front
Handle colour	Grey
Handle front plate colour	Grey
Rotary handle padlocking	Padlock in OFF position 3 padlocks

Complementary

IP degree of protection	IP2X
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14 cm
Package 1 Width	22.1 cm
Package 1 Length	25.4 cm
Package 1 Weight	0.74 kg
Unit Type of Package 2	S04
Number of Units in Package 2	4
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	4.16 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Packaging

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	414f20ec-3a26-4a8b-b6ac-8e39db31db48
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----

Technical Illustration

Assembly's dimensions

mm
in

