

Product datasheet

Specifications



Contacts hooks for ISFL 160A one-pole switchable for busbar system 185 mm

LV480905

EAN Code: 3606480796111

Main

Range of product	ISFL160
Range	FuPacT
Product or component type	Hook
Accessory / separate part category	Mounting accessory
Range compatibility	FuPacT FuPacT ISFL ISFL160 fuse-switch disconnecter
Quantity per set	Set of 3
Fuse type	DIN
Fuse size	NH00

Complementary

Mounting mode	Direct
Equipment mounting bracket	With elevated feeding bracket
Mounting support	Busbar - thickness: 5...10 mm
Connections - terminals	Screw
Connector type	M8
Connection position	Vertical
Tightening torque	7 N.m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	12.0 cm
Package 1 Length	14.0 cm
Package 1 Weight	117.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	40
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	5.135 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No