


# Product datasheet

Specifications



## LINERGY BS 4P MULTISTAGE BB 160A 52HOLES

04052

⚠ Discontinued on: 17 Jan 2022

⚠ End-of-service on: 17 Dec 2022

⚠ Discontinued

**Price: 2,479.83 ZAR**

### Main

Range	Linergy
Range of product	Linergy
Product or component type	Multi-stage distribution block
Product name	Linergy BS
Range compatibility	Prisma Prisma G enclosure Prisma Prisma P enclosure
Product compatibility	Spacial enclosures
IP degree of protection	IPxx B

### Complementary

Mounting support	Prisma upright Plain backplate
Mounting mode	Horizontal Vertical
Poles description	4P
[Ue] rated operational voltage	440 V AC
[Ui] rated insulation voltage	750 V AC
[Uimp] rated impulse withstand voltage	8 kV
[Ie] rated operational current	160 A
[In] rated current	160 A at 40 °C
[Icw] rated short-time withstand current	10 kA for 1 s
[Ipk] rated peak withstand current	30 kA
I <sup>2</sup> t on activation	100000000 A <sup>2</sup> .s
Busbar cross section	15 x 5 mm
Connections - terminals	Supply: crimped lug50 mm <sup>2</sup> Supply: flexible bars, 20 x 2 mm Distribution: M6 holes (phase) , 13 x 1...50 mm <sup>2</sup>
Height	235 mm
Width	470 mm
Depth	115 mm
Net weight	2.72 kg

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

## Environment

---

Standards	IEC 61439-2 EN/IEC 61439-1
-----------	-------------------------------

---

Product certifications	ASEFA
------------------------	-------

---

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	15.5 cm
------------------	---------

---

Package 1 Width	26 cm
-----------------	-------

---

Package 1 Length	55 cm
------------------	-------

---

Package 1 Weight	2.637 kg
------------------	----------

---

## Contractual warranty

---

Warranty (in months)	18
----------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

<a href="#">EU RoHS Directive</a>	Compliant
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

### Use Longer




#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins