

# Product datasheet

Specifications

## Output shorting link, GoPact MTS 100, bottom side



GMSCONOSL01B

### Main

Range of product	GoPact MTS
Product or component type	Shorting link
Device application	Connection
Range compatibility	GoPact MTS 100
[In] rated current	63...100 A
Frame size	1
Quantity per set	4 pieces

### Complementary

Location of connection	Bottom
Connections - terminals	Bolted connection

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	17.5 cm
Package 1 Width	2 cm
Package 1 Length	5.5 cm
Package 1 Weight	89 g
Unit Type of Package 2	S02
Number of Units in Package 2	2
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	0.578 kg

### Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	No
-----------	----

Technical Illustration

Assembly's dimensions

---

