

# Product data sheet

Specifications



## TeSys F- mechanical interlock - for 3 vertical contactors

LA9FG4G4G

⚠ Discontinued on: Jul 12, 2021

⚠ Discontinued

### Main

|                                    |                        |
|------------------------------------|------------------------|
| Range                              | TeSys                  |
| Device short name                  | LA9F                   |
| Product or Component Type          | Mechanical interlock   |
| Accessory / separate part category | Interlocking accessory |
| Interlocking type                  | Mechanical             |
| Product Compatibility              | LC1F<br>CR1F           |

### Complementary

|                    |  |
|--------------------|--|
| Mounting position  | 3 vertical   |
| Interlocked device | Top LC1F185...LC1F225 3P or 4P<br>Top CR1F185 3P or 4P<br>Bottom LC1F185...LC1F225 3P or 4P<br>Bottom CR1F185 3P or 4P<br>Middle LC1F185...LC1F225 3P or 4P<br>Middle CR1F185 3P or 4P |
| Product Weight     | 1.239 lb(US) (0.562 kg)  |

### Ordering and shipping details

|                   |   |
|-------------------|---|
| Category          | 18402-WORLD SERVICE PARTS(CONTROL ACCESS) |
| Discount Schedule | CP10                                      |
| GTIN              | 3389110168099                             |
| Returnability     | No  |
| Country of origin | FR  |

### Packing Units

|                        |                 |
|------------------------|-----------------|
| Unit Type of Package 1 | PCE             |
| Nbr. of units in pkg.  | 1               |
| Package 1 Height       | 4.7 in (12 cm)  |
| Package 1 Width        | 3.0 in (7.5 cm) |
| Package 1 Length       | 18.1 in (46 cm) |
| Package weight(Lbs)    | 22.6 oz (640 g) |

### Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.





## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

EU RoHS Directive

[Compliant](#)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.