

Siemens  
EcoTech



Fan cover for 3RW55 and 3RW52, Size 1, 2 and 3



|                                               |                                               |
|-----------------------------------------------|-----------------------------------------------|
| product brand name                            | SIRIUS                                        |
| product category                              | Fan covers                                    |
| product designation                           | Fan cover                                     |
| product type designation                      | 3RW59                                         |
| manufacturer's article number of soft starter |                                               |
| •                                             | 3RW5126/27 (2x), 3RW513 (2x)                  |
| •                                             | 3RW5216/17 (1x), 3RW5226/27 (2x), 3RW523 (2x) |
| •                                             | 3RW551 (1x), 3RW552 (2x), 3RW553 (2x)         |

|                                                         |                                                  |
|---------------------------------------------------------|--------------------------------------------------|
| General technical data                                  |                                                  |
| Substance Prohibitance (day/month/year)                 | 02/15/2018                                       |
| Net Weight                                              | 0.02 kg                                          |
| Ambient conditions                                      |                                                  |
| ambient temperature during storage and transport        | -40 ... +80 °C                                   |
| Electrical Safety                                       |                                                  |
| protection class IP on the front according to IEC 60529 | IP20                                             |
| touch protection on the front according to IEC 60529    | finger-safe, for vertical contact from the front |
| Approvals Certificates                                  |                                                  |
| Environment                                             | General Product Approval                         |

[Environmental Con-  
firmations](#)



|                      |                                     |                                                          |                       |
|----------------------|-------------------------------------|----------------------------------------------------------|-----------------------|
| EMV                  | For use in hazard-<br>ous locations | Test Certificates                                        | Maritime application  |
|                      | <a href="#">Miscellaneous</a>       | <a href="#">Type Test Certi-<br/>ficates/Test Report</a> | <br>ABS               |
|                      |                                     |                                                          | <br>BUREAU<br>VERITAS |
|                      |                                     |                                                          | <br>DNV               |
| Maritime application | other                               |                                                          |                       |



[Confirmation](#)

[Confirmation](#)



#### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5983-0FC00>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RW5983-0FC00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RW5983-0FC00&lang=en](https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5983-0FC00&lang=en)

**Cax online generator**

<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5983-0FC00>

**Characteristic curves**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

**Characteristic: Tripping characteristics, I<sup>2</sup>t, Let-through current**

<https://support.industry.siemens.com/cs/ww/en/ps/3RW5983-0FC00/char>

**Characteristic: Installation altitude**

[https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G\\_NSB0\\_XX\\_01704&showdetail=true&view=Search](https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G_NSB0_XX_01704&showdetail=true&view=Search)

**Simulation Tool for Soft Starters (STS)**

<https://support.industry.siemens.com/cs/ww/en/view/101494917>

last modified:

4/2/2025

