

ETU VT250, 3-pole, line protection ETU DP, LI IR=63...160A, overload protection
IRM=4...8kA short-circuit protection, screw terminal connections in scope of
delivery of switching unit



Model				
product brand name		SETRON		
product designation		Electronic Trip Units (ETU)		
design of the product		ETU DP, LI IR=63 to 160 A		
Accessories				
accessories		Accessory for VT250		
Mechanical Design				
Net Weight		264 g		
Approvals Certificates				
Environment	General Product Approval		Test Certificates	other
Environmental Con- firmations			Confirmation	
			Type Test Certifi- ates/Test Report	Confirmation
other				



[Miscellaneous](#)

Further information	
Information on the packaging	
https://support.industry.siemens.com/cs/ww/en/view/109813875	
Information for data generation and storage	
https://support.industry.siemens.com/cs/ww/en/view/109995012	
Information- and Downloadcenter (Catalogs, Brochures,...)	
https://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system)	
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VT9216-6AC00	
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)	
https://support.industry.siemens.com/cs/ww/en/ps/3VT9216-6AC00	
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)	
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VT9216-6AC00	
CAx-Online-Generator	
https://www.siemens.com/cax	
Tender specifications	
https://www.siemens.com/specifications	
Characteristic curves	
<a href='https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>'>https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>	

last modified:

6/15/2025 

