

Product data sheet

Specifications



pre-wired connector with other cable end open for drive - 3 m

VW3L3D02R30

⚠ Discontinued on: Oct 9, 2023

⚠ Discontinued

Main

Product or component type	Pre-wired connector with other cable end open
Accessory / separate part type	Cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	For stepper motor drive For Lexium integrated drive
Cable length	9.8 ft (3 m)

Complementary

Range compatibility	Lexium ILT Lexium SD2 Lexium ILP
Product compatibility	SD218PU20C ILP2R85.MB1A ILP2R42.MB1A ILP2R57.MB1A
Communication interface	RS485
Electrical connection	1 connector wire crimp, 10 pins communication interface Cable end open
Net weight	0.423 lb(US) (0.192 kg)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.6 in (1.5 cm)
Package 1 Width	8.7 in (22.0 cm)
Package 1 Length	9.06 in (23.0 cm)
Package 1 Weight	6.8 oz (192.0 g)
Unit Type of Package 2	S03
Number of Units in Package 2	20
Package 2 Height	11.8 in (30.0 cm)
Package 2 Width	11.8 in (30.0 cm)
Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	10.038 lb(US) (4.553 kg)

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No