

Product datasheet

Specifications



auxiliary contact, TransferPacT,
indication for source I and souce II,
frame 250A, frame 630A

TPSAUX43

Main

Range of product	TransferPacT
Product or component type	Auxiliary Contact Module
Device application	Signalling

Complementary

Auxiliary contact composition	2 NO + 2 NC
Signalling function	Switch position (SI and SII)
Auxiliary connection terminal	Spring 0.5...1.5 mm ² (AWG 20...AWG 16)
Mounting mode	Clip-on
Mounting position	Inside front cover
[I _{th}] conventional free air thermal current	5 A
Minimum load	100 mA at 24 V DC
Tightening torque	0.6 N.m +/- 0.1 N.m
Product compatibility	TA25 TR25 TA63 TR63
Accessory / separate part category	Signalling accessory

Environment

IP degree of protection	IP20
Pollution degree	3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	7.000 cm
Package 1 Length	7.500 cm
Package 1 Weight	34.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	634.000 g

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	6acdf116-a48d-4a7c-a35f-450d712fc277
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins