


Product datasheet

Specifications



connection enclosure cable from top, with plinth, Altivar Process ATV600, Altivar Process ATV900, for Drive Systems 110 to 315kW

VW3AP0704

Main

Range of product	Altivar Process ATV600 Altivar Process ATV900
Accessory / separate part category	Cabling accessory
Accessory / separate part type	Connection box
cable entry	Top
Accessory / separate part destination	Compact drive system
Condition of use	Cannot be ordered alone, only possible in combination with a standard enclosure

Complementary

Device composition	1 connection enclosure 1 power terminals 1 main switch
Product compatibility	Variable speed drive ATV660 motor at 110 kW Variable speed drive ATV660 motor at 132 kW Variable speed drive ATV660 motor at 160 kW Variable speed drive ATV660 motor at 200 kW Variable speed drive ATV660 motor at 250 kW Variable speed drive ATV660 motor at 315 kW Variable speed drive ATV680 motor at 110 kW Variable speed drive ATV680 motor at 132 kW Variable speed drive ATV680 motor at 160 kW Variable speed drive ATV680 motor at 200 kW Variable speed drive ATV680 motor at 250 kW Variable speed drive ATV680 motor at 315 kW Variable speed drive ATV960 motor at 110 kW Variable speed drive ATV960 motor at 132 kW Variable speed drive ATV960 motor at 160 kW Variable speed drive ATV960 motor at 200 kW Variable speed drive ATV960 motor at 250 kW Variable speed drive ATV960 motor at 315 kW Variable speed drive ATV980 motor at 110 kW Variable speed drive ATV980 motor at 132 kW Variable speed drive ATV980 motor at 160 kW Variable speed drive ATV980 motor at 200 kW Variable speed drive ATV980 motor at 250 kW Variable speed drive ATV980 motor at 315 kW
Product weight	94 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.0 cm
Package 1 Width	1.0 cm
Package 1 Length	1.1 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	108.0 kg
------------------	----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No